Journal of Statistical Planning and Inference 17 (1987) 411-412
North-Holland



# AUTHOR INDEX*

## Volume 17 (1987)

Ali, M.M. and A.H. Khan, On order statistics from the log-logistic distribution (1) 103-108
Balakrishnan, N. and H.J. Malik, Moments of order statistics from truncated log-logistic distribution (2) 251-267
Bhandari, S.K. and A. Bose, On selecting the most likely event (2) 227-240
Bhattacharyya, G.K., see K.G. Mehrotra (2) 241-250
Birkes, D., C. Pereira and J. Seely, Scalar multiples of admissible linear estimators (3) 337-344
Bose, A., see S.K. Bhandari (2) 227-240
Cohen, A., A. R[illegible]thin and W.E. Strawderman, A characterization of the multivariate normal distribution and some remarks on linear estimators (3) 361-365
Conforti, M. and Y. Hochberg, Sequentially rejective pairwise testing procedures (2) 193-208
Csörgő, M. and L. Horváth, Nonparametric tests for the changepoint problem (1) 1-9
Does, R.J.M.M., Helmers, R. and Klaassen, C.A.J., On the Edgeworth expansion for the sum of a function of uniform spacings (2) 149-157
Donovan, D., More balanced ternary designs with block size four (1) 109-133
Frank, O. and P. Weidenman, Controlling individual information in statistics by coding (3) 321-336
Gill, D.S. and M. Siotani, On randomization in multivariate analysis of variance (2) 217-226
Giovagnoli, A., Pukelsheim, F. and Wynn, H.P., Group invariant orderings and experimental designs (2) 159-171
Gutmann, S., Tests uniformly more powerful than uniformly most powerful monotone tests (3) 279-292
Helmers, R., see R.J.M.M. Does (2) 149-157
Hochberg, Y., see M. Conforti (2) 193-208
Horváth, L., see M. Csörgő (1) 1-9
Hwang, F.K. and Y.H. Xu, Group testing to identify one defective and one mediocre item (3) 367-373
Kale, B.K., Essential uniqueness of optimal estimating functions (3) 405-407
Khan, A.H., see M.M. Ali (1) 103-108
Klaassen, C.A.J., see R.J.M.M. Does (2) 149-157
Kuwada, M., On some partially balanced fractional $2^{m_1+m_2}$ factorial designs of resolution VI$^-$ (1) 93-102
Liang, W., Consistency of modified Fisher prediction function (3) 401-403
Malik, H.J., see N. Balakrishnan (2) 251-267
Marco, V.R., see D.M. Young (3) 307-319
Martinsek, A.T., Two-stage and fully sequential determination of estimator as well as sample size (1) 11-20
Mehrotra, K.G. and G.K. Bhattacharyya, Estimation in a Gaussian linear regression model under type II censoring (2) 241-250
Meslem, A.-E.-H., Asymptotic expansions for fixed width confidence interval (1) 51-65
Meyerowitz, A. and R. Miskimins, Partial geometric lattices I: Regularity conditions (1) 21-50
Miller, J.J. and Wegman, E.J., Vector function estimation using splines (2) 173-180

* The issue number is given in front of page numbers.

0378-3758/87/$3.50 © 1987, Elsevier Science Publishers B.V. (North-Holland)

Miskimins, R., see A. Meyerowitz (1) 21–50
Mukerjee, R., see M. Sen (1) 81–91
Mustafi, C.K., Residual median for non-identically distributed random variables (3) 389–400
Nagaraja, H.N. and R.C. Srivastava, Some characterizations of geometric type distributions based on order statistics (2) 181–191
Odell, P.L., see D.M. Young (3) 307–319
Pereira, C., see D. Birkes (3) 337–344
Pourahmadi, M., Some sampling properties of empirical characteristic functions viewed as harmonizable stochastic processes (3) 345–359
Press, S.J., The MISER criterion for imbalance in the analysis of covariance (3) 375–388
Pukelsheim, F., see A. Giovagnoli (2) 159–171
Roebruck, P., Optimal designs for three-factorial split-plot models with random block effects (3) 293–305
Rukhin, A., see A. Cohen (3) 361–365
Sane, S.S. and S.S. Shrikhande, On generalised quasi-residual designs (2) 269–276
Schwabe, R., On adaptive chemical balance weighing designs (2) 209–216
Seely, J., see D. Birkes (3) 337–344
Sen, M. and R. Mukerjee, Optimal repeated measurements designs under interaction (1) 81–91
Shrikhande, S.S., see S.S. Sane (2) 269–276
Siotani, M., see D.S. Gill (2) 217–226
Srivastava, R.R., see H.N. Nagaraja (2) 181–191
Strawderman, W.E., see A. Cohen (3) 361–365
Wegman, E.J., see J.J. Miller (2) 173–180
Weidenman, P., see O. Frank (3) 321–336
Whitney, P., Consistent least squares nonparametric regression (2) 137–148
Wu, T.-J., Rates of weak convergence and large deviation probabilities for linear rank tests with type I censored data (1) 67–79
Wynn, H.P., see A. Giovagnoli (2) 159–171
Xu, Y.H., see F.K. Hwang (3) 367–373
Young, D.M., V.R. Marco and P.L. Odell, Quadratic discrimination: Some results on optimal low-dimensional representation (3) 307–319